



# Coastal Range Technical Data Sheet

**BRICKWORKS**

Product Range	Product Name	Swatch	State	Length (mm)	Width (mm)	Height (mm)	Dimensional Category	Average Weight / Unit (kg)	Units per Square Metre	Pack Size	Characteristic Unconfined Compressive Strength (f <sub>uc</sub> ) MPa	Maximum Cold Water Absorption (%)	Initial Rate of Absorption (IRA) (kg/m <sup>2</sup> min)	Coefficient of Expansion e Factor (mm/m)	Durability Class	Liability to Efflorescence	LRV
Coastal	Shoreline		NQLD	230	110	76	DW2	2.4	48.5	520	>15	8	1.0-3.0	1.0	Exposure Grade		31.3
Coastal	Surf Wash		NQLD	230	110	76	DW2	2.6	48.5	520	>15	10	1.0-3.0	0.46	Exposure Grade	Slight	39.4
Coastal	Double Height Shoreline		NQLD	230	110	162	DW1	6	24.25	260	>15	10	0.1-4.0	1.2	Exposure Grade	Slight	31.3
Coastal	Double Height Surf Wash		NQLD	230	110	162	DW1	6	24.25	260	>15	10	0.1-4.0	1.2	Exposure Grade	Slight	39.4

This Data represents average results from commercial production lots.

If specific test results are required, sample should be taken from current production lots.

AUSTRALIAN STANDARD TEST METHODS AS/NSZ 4456 ARE USED AS APPLICABLE.