

**Range: Park Lane**

**Colour: Mayfair**

**SKU: 211060019050001501150**

### Technical Data

Length (mm)	230	Coefficient of Expansion e'Factor (mm/m)	<1.0
Width (mm)	110	Durability Class	Exposure Grade
Height (mm)	76	Liability to Efflorescence	Slight
Dimensional Category	DW1	Lime Pitting Liability	Slight
Average Weight / Unit (kg)	2.7	Solar Absorption	0.67
Core Volume (%)	<38	LRV	14.2
Units per Square Metre	48.5	Place of Manufacture	New South Wales
Pack Size	400	Product Warranty	100 Years
Characteristic Unconfined Compressive Strength (f 'uc) MPa	>10	Solar Absorption	0.67
Maximum Cold Water Absorption (%)	<10	Meter squared	48.5
Initial Rate of Absorption (IRA) (kg/m2 min)	0.1-1.0		

A BRAND OF

**BRICKWORKS**