

Range: Specialty

Colour: Espresso

SKU: 250160013270000617150

Technical Data

Length (mm)	230
Width (mm)	110
Height (mm)	76
Dimensional Category	DW1
Average Weight / Unit (kg)	2.8
Core Volume (%)	<43
Units per Square Metre	48.5
Pack Size	512
Characteristic Unconfined Compressive Strength (f 'uc) MPa	>15
Maximum Cold Water Absorption (%)	<10

Initial Rate of Absorption (IRA) (kg/m2 min)	0.1 to 2
Coefficient of Expansion e'Factor (mm/m)	<1.2
Durability Class	Exposure Grade
Liability to Efflorescence	Nil to slight
Lime Pitting Liability	Nil to slight
Solar Absorption	0.879
Basix	Dark
Place of Manufacture	New South Wales
Product Warranty	100 Years
Solar Absorption	0.879

A BRAND OF

BRICKWORKS