

**Range: Specialty**

**Colour: Pacific**

**SKU: 250160013320000617150**

### Technical Data

Length (mm)	230	Initial Rate of Absorption (IRA) (kg/m <sup>2</sup> min)	0.1-4.0
Width (mm)	110	Coefficient of Expansion e'Factor (mm/m)	<1.2
Height (mm)	76	Liability to Efflorescence	Nil to slight
Dimensional Category	DW1	Lime Pitting Liability	Nil to slight
Average Weight / Unit (kg)	2.8	Solar Absorption	0.78
Core Volume (%)	30-40	Basix	Dark
Units per Square Metre	48.5	Place of Manufacture	New South Wales
Pack Size	512	Product Warranty	100 Years
Characteristic Unconfined Compressive Strength (f 'uc) MPa	>20	Solar Absorption	0.78
Maximum Cold Water Absorption (%)	<10		

A BRAND OF

**BRICKWORKS**