

Range: Specialty

Colour: Espresso

SKU: 250160013270000617150

Technical Data

Length (mm)	230
Width (mm)	110
Height (mm)	76
Dimensional Category	DW1
Average Weight / Unit (kg)	2.8
Core Volume (%)	<43
Units per Square Metre	48.5
Pack Size	512
Characteristic Unconfined Compressive Strength (f 'uc) MPa	>15
Maximum Cold Water Absorption (%)	<10
Initial Rate of Absorption (IRA) (kg/m2 min)	0.1 to 2

Coefficient of Expansion e'Factor (mm/m)	<1.2
Durability Class	Exposure Grade
Liability to Efflorescence	Nil to slight
Lime Pitting Liability	Nil to slight
Solar Absorption	0.879
FRL	90/90/90
Basix	Dark
Place of Manufacture	New South Wales
Product Warranty	100 Years
Solar Absorption	0.879

A BRAND OF

BRICKWORKS